

ADDENDUM NO. 1
FOR
RE-BID CEDAR BLUFF PARK UPGRADE
FOR
THE TOWN OF CEDAR BLUFF, ALABAMA
LWCF PROJECT NO. 15-LW-1016

September 26, 2017

TO: ALL PLAN HOLDERS AND INTERESTED PARTIES

SUBJECT: Plans, Specifications, and Contract Documents are hereby amended, modified, and changed as follows:

- I. Reference Part I, Contract Documents, Page I-1, Advertisements for Bids and Page I-3, Information for Bidders.
 - A. The bid date for Re-Bid submittal has been set for Tuesday, October 10, 2017 at 11:00 A.M. CDST at the Cedar Bluff Town Hall.

- II. Reference Part VI – Technical Specifications, Division No. 3 – Concrete, Section 03200 – Concrete Reinforcement, Page 03200-2, Part 2 Products, 2.01 Reinforcement:
 - E. Contractor has the option of using fiber reinforced concrete in lieu of welded steel fabric. Fiber material shall be similar and equal to MasterFiber M 35, Monofilament Microsynthetic Fiber. Dosage shall be 0.5 to 0.75 lb. per cubic yard with 3 – 5 minutes of mixing.

THIS ADDENDUM ISSUED THIS 26TH DAY OF SEPTEMBER 2017.

LADD ENVIRONMENTAL CONSULTANTS, INC.

James Payton

James Payton, P.E.

